### This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- •) BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






FIG. 1




FIG. 2






FIG. 3























COLOR STANDARD:	1931 CIE
FIELD OF VIEW:	2°
POLARIZATION:	<b>AVERAGE</b>
REFERENCE WHITE:	CIE-C
ILLUMINANT:	WHITE
INCIDENT ANGLE (DEG):	0.00

_	KEFL	TRANS
x COORDINATE:	0.338	0.321
y COORDINATE:	0.371	0.323
LUMINOSITY (%):	14.24	60.18
DOMINANT (nm):	569	585
COMPLEMENTARY (nm):	450	484
<b>EXCITATION PURITY:</b>	0.223	0.047

FIG. 8



COLOR STANDARD:	1931 CIE
FIELD OF VIEW:	2°
POLARIZATION:	<b>AVERAGE</b>
REFERENCE WHITE:	CIE-C
ILLUMINANT:	WHITE
INCIDENT ANGLE (DEG):	0.00

	REFL	TRANS
x COORDINATE:	0.305	0.325
y COORDINATE:	0.341	0.325
LUMINOSITY (%):	11.06	57.92
DOMINANT (nm):	539	584
COMPLEMENTARY (nm):	N/A	483
EXCITATION PURITY:	0.057	0.065

FIG. 9



